

Holemaking Solutions for Today's Manufacturing





Reaming



Burnishing



Threading





BORING

Special Boring Solutions



Specials

WOHLHAUPTER®



SECTION

B10-K

Special Boring Solutions

Wohlhaupter® Special Boring Solutions



Special Design Tooling

When it comes to special solutions for customers, Wohlhaupter has unique capabilities to effectively design and develop special boring tools. Our special boring tools are designed for specific machines, processes, and materials to help save you time and money.

If you have a particularly unique or difficult application, give our Application Engineering team a call.

phone: 330.343.4283 ext: 7611 | email: appeng@alliedmachine.com

Your safety and the safety of others is very important. This catalog contains important safety messages. Always read and follow all safety precautions.



This triangle is a safety hazard symbol. It alerts you to potential safety hazards that can cause tool failure and serious injury.

When you see this symbol in the catalog, look for a related safety message that may be near this triangle or referred to in the nearby text.

There are safety signal words also used in the catalog. Safety messages follow these words.

⚠ WARNING

WARNING (shown above) means that failure to follow the precautions in this message could result in tool failure and serious injury.


NOTICE means that failure to follow the precautions in this message could result in damage to the tool or machine but not result in personal injury.

NOTE and **IMPORTANT** are also used. These are important that you read and follow but are not safety-related.

Visit www.alliedmachine.com for the most up-to-date information and procedures.

Applicable Industries











Machining





Renewable Energy

Wohlhaupter® Special Boring Solutions Table of Contents Special Tooling Solutions Anti-Vibration | Multistep Boring Tool 4 3E^{TECH+} Special Tools 6 **Online Tools** 9

ES-Bore Fine Boring Lay Down Cartridge



LAY DOWN CARTRIDGES

ES-BORE

- ▶ Mounts to custom designed boring tools
- ▶ Available with digital 3E^{TECH+} or analog adjustment
- Accurate adjustments with easy-to-use settings
- Versatility in many different application types over 1.102" (28.00 mm)

A

B10-K: 2

В

C

D

G

Н

M

INDEX



GROOVING TOOLS

EK GROOVER

- ▶ Create complex grooves faster and deeper than ever before
- ▶ Eliminate chatter in hard-to-reach internal forms
- ▶ The electronically-controlled insert release can be adapted to most machine tools
- ▶ Single or double grooving in one operation

ROUGH BORING TOOLS

LAY DOWN CARTRIDGE

- ▶ Increase the productivity of your roughing tool while protecting your investment
- ▶ If the tool is ever damaged, simply replace a cartridge and resume making chips

B10-K: 4



SPECIAL BORING TOOLS

ANTI-VIBRATION

- Vibration dampening rings
- Optimized tool weight
- Used to reduce harmonic vibration in deeper boring applications



SPECIAL BORING TOOLS

MULTISTEP BORING TOOL

- Fine adjustment tool for reverse machining
- ▶ Combined with multidiameter fine adjustable cartridges for finish machining



SPECIAL BORING TOOLS

OD TURNING TOOLS

- Multistep OD turning
- ▶ Drastically reduce cycle time
- ▶ Improve surface finish and feature concentricity

SPECIAL BORING TOOLS

PADDED TOOLING

- ▶ Aids in stable part processing
- ▶ Expands length to diameter capabilities
- ▶ Improves surface finish
- ▶ Pads are replaceable to extend tool life

В

D

G

M

INDEX

Α

В

C

П

Е

F

G

H

ı

J

K

L

M



B10-K: 6





NOTE: 3E^{TECH+} adjustment accuracy of 0.0001" or 0.001 mm on diameter

3ETECH+ BORING TOOL

MULTISTEP BORING TOOL

- ▶ Easy diameter adjustments with 3E^{TECH+}
- ▶ One digital readout module to use on all steps

3ETECH+ BORING TOOL

LINE BORING TOOL

- One digital readout module used on all steps
- ▶ Easy diameter adjustment at the machine spindle

В

D

G

Н

Κ



FINISH BORING TOOLS

DIGIBORE WITH 249 (248)

- ▶ Standard DigiBore head, standard 249 (248) head, and special slide for precise two-step bore
- ▶ MVS connection

FINISH BORING TOOLS

DIGIBORE SPECIAL

- ▶ Standard DigiBore boring head with OD turn and OD chamfer insert holder
- ▶ MVS connection

INDEX

M

B10-K: 7

Α

С

D

Е

F

G

Н

ì

J

K

L

M

INDEX



ROUGH, FINISH, and CHAMFER BORING TOOLS

COMBI-LINE

- ▶ Standard Combi-Line tooling with added chamfer cartridge
- MVS connection

B

D

G

H

K

Online Tools

ToolMD® | Wohlhaupter® Boring Insert Selector



Design Your Own Solutions

ToolMD is a configurator for Wohlhaupter modular tooling systems that allows customers to virtually build their own solution. This online-based simulator puts the entire Wohlhaupter product line at your fingertips. It provides a digital bank of every individual part that Wohlhaupter manufactures in either inch or metric.

Once you select a component, you will be guided by a series of user-friendly prompts to select the next components until you have built your tooling system. Throughout the process, you can monitor the size of your custom tool and ensure what you're building matches your real-life specifications. Once a complete system is virtually assembled, the program will render the tool in either a 2D or 3D drawing to view on your device.

Designing your tools with ToolMD saves you time and allows you to instantly obtain the right tool for the job.






Design anytime from anywhere. Available online 24/7.

WOHLHAUPTER | Boring Insert Selector

www.alliedmachine.com/bis



· Generate the correct boring insert for your application in just six easy steps



- Choose type, shape, substrate, insert form, nose radius, and workpiece material
- · Order easily by adding the item to your cart



 Search for your new insert item number by entering your old item number

INDEX

M

Guaranteed Test / Demo Application Form

Distributor PO #		
	itor DO #	Dictribu

The following must be filled out completely before your test will be considered

ontact:				End User Information Company Name: Contact: Industry: Phone: Email:			
Current Process	List all tooling, coatings	s, substrates, speeds a	and feeds, tool	life, and any problems yo	ou are exper	iencing	
est Objective	List what would make t	his a successful test (i.e. penetration	n rate, finish, tool life, ho	le size, etc.)		
Application Info	ormation						
Hole Diameter:	in	/mm Tolerance	::		Material:	(4150 / A36	/ Cast Iron / etc.)
Preexisting Diameter: in/mm Depth of Cut:			Cut:	in/mm	Hardness:	(BHN / Rc)	
Required Finish: RMS					State:	(Casting / Ho	t rolled / Forging)
lachine Inform	nation						
Machine Type:	(Lathe / Screw machine / Ma	achine center / etc.)	Builder:	(Haas, Mori Seiki, etc.	<u> </u>	Model #:	
Shank Required:	(CAT50 / Morse ta	per, etc.)				Power:	HP/KW
Rigidity:	Orientation:	Tool Rotating:				Thrust:	lbs/N
☐ Excellent	☐ Vertical	Yes					
☐ Good ☐ Poor	☐ Horizontal	□ No					
Coolant Informa	ation						
Coolant Delivery:		ough tool / Flood)		Coolant Pressure:			PSI / bar
	(11110			Coolant Volume:			GPM / LPM
Coolant Type:		nthetic, water soluble, e					

Requested Tooling

QTY	Item Number	C

QTY	Item Number



Allied Machine & Engineering

120 Deeds Drive Dover, OH 44622

Telephone: (330) 343-4283

Toll Free USA & Canada: (800) 321-5537 Fax: (330) 602-3400

Email: info@alliedmachine.com





Warranty Information

• • • • •

Allied Machine & Engineering ("Allied Machine") warrants to original equipment manufacturers, distributors, industrial and commercial users of its products for one year from the original date of sale that each new product manufactured or supplied by Allied Machine shall be free from defects in material and workmanship.

Allied Machine's sole and exclusive obligation under this warranty is limited to, at its option, without additional charge, replacing or repairing this product or issuing a credit. For this warranty to be applied, the product must be returned freight prepaid to the plant designated by an Allied Machine representative and which, upon inspection, is determined by Allied Machine to be defective in material and workmanship.

Complete information as to operating conditions, machine, setup, and the application of cutting fluid should accompany any product returned for inspection. This warranty shall not apply to any Allied Machine products which have been subjected to misuse, abuse, improper operating conditions, improper machine setup or improper application of cutting fluid or which have been repaired or altered if such repair or alteration, in the judgement of Allied Machine, would adversely affect the performance of the product.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Allied Machine shall have no liability or responsibility for any claim, whether in contract, tort or otherwise, for any loss or damage arising out of, connected with, or resulting from the manufacture, sale, delivery or use of any product sold hereunder, in excess of the cost of replacement or repair as provided herein.

Allied Machine shall not be liable in contract or in tort (including, without limitation, negligence, strict liability or otherwise) for economic losses of any kind or for any special, incidental, indirect, consequential, punitive or exemplary damages arising in any way out of the performance of, or failure to perform this agreement.

ALL PRICES, DELIVERIES, DESIGNS, AND MATERIALS ARE SUBJECT TO CHANGE WITHOUT NOTICE.



Allied Machine & Engineering is registered to ISO 9001:2015 by DQS



is registered to
ISO 9001:2015 by QA TECHNIC

United States

Allied Machine & Engineering

120 Deeds Drive United States

Phone:

+1.330.343.4283

Toll Free USA and Canada:

800.321.5537

Dover OH 44622

Fax:

+1.330.602.3400

Toll Free USA and Canada:

800.223.5140

Allied Machine & Engineering

485 W Third Street Dover OH 44622 United States

Phone:

+1.330.343.4283

Toll Free USA and Canada: 800.321.5537

+1.330.364.7666 (Engineering Dept.)

Europe

Allied Machine & Engineering Co. (Europe) Ltd.

93 Vantage Point Pensnett Estate Kingswinford West Midlands DY6 7FR England Phone:

+44 (0) 1384.400900

Wohlhaupter GmbH

Maybachstrasse 4 Postfach 1264 72636 Frickenhausen

Germany

Phone:

+49 (0) 7022.408.0

+49 (0) 7022.408.212

Asia

Wohlhaupter India Pvt. Ltd.

B-23, 3rd Floor B Block Community Centre Janakpuri, New Delhi - 110058 India

Phone:

+91 (0) 11.41827044

Your local Allied Machine representative:

www.alliedmachine.com

Allied Machine & Engineering is registered to ISO 9001:2015 by DQS Wohlhautper GmbH is registered to ISO 9001:2015 by QTA TECHNIC

